





STYLED

05249

Low Glare - Minimal Design

Styled is a recessed, linear spot lighting solution that combines aesthetic design and high visual comfort for modern interiors.

Thanks to its low glare value ($UGR \leq 16$), glare-reducing optical structure, and homogeneous light distribution, it offers a comfortable lighting experience in offices, shops, educational institutions, and commercial spaces. Its minimalist design and high-quality materials give architectural projects a modern look.



General Information		Electrical Info		Lighting Technology	
Housing	Aluminum Extrusion	Power	11-22W	Light Output Angle	45°
Side Cover	Aluminum Injection	Power Factor	>0.95	UGR Value	UGR ≤ 16
Optics	Reflector + Lens	Light Source	COB LED	CRI [Ra]	CRI ≥ 80
Paint	Electrostatic Powder Coating	Cabling	Halojen-Free	Color Bin Value	Mc Adams ≤ 3
Insulation Class	Class II	Input Voltage	220-240V AC / 50-60 Hz	Optional	DALI / 1-10V CRI>90 , 2700K~6500K , Tunable White Emergency Lighting Kit
Product Dimensions [mm]	46(W)x150/285(L)x45(H)	LED Driver	Constant Current		
Mounting Type	Recessed	Ambient Temperature	-20°C / +50°C		
Mounting Part	Spring Steel	LED Lifetime L70	>50.000 Hour		

Order Code	W	Lm	Angle	CCT	WxLxH (mm)	Ceiling Cutting (mm)	Kg
05249.16.30.004	11	970	45°	3000	46x150x45	142x38	0,30
05249.16.40.005	11	1020	45°	4000	46x150x45	142x38	0,30
05249.16.30.005	22	1940	45°	3000	46x285x45	278x38	0,60
05249.16.40.008	22	2040	45°	4000	46x285x45	278x38	0,60

