

RAL 9016 RAL 9006

FLAT-C 300

02110


Clip-In Ceiling Mountable Lighting Fixture


Flat-C 300 is a compact panel lighting fixture developed for compatibility with clip-in ceiling systems. Its 30x30 cm dimensions and recessed mounting design offer a simple and modern look, while providing comfortable lighting with homogeneous light distribution.

Thanks to its metal housing and high-efficiency optical system, it offers long-lasting use. It provides an effective general lighting solution for offices, healthcare facilities, educational institutions, and commercial spaces.

Its compact dimensions allow for easy integration into modular ceiling systems. With various power, color temperature, and control options, it adapts to project-specific lighting needs.

CE IK02 GLOW WIRE 650°C IP40 RoHS COMPLIANT





General Information	
Body & Frame	DKP Metal Sheet
Optics	Opal Diffuser
Paint	Electrostatic Powder Paint
Insulation Class	Class I
Product Dimensions [mm]	300(W) x 300(L) x 96(H)
Mounting Type	Clip-in Suspended Ceiling

Electrical Info	
Power	9-18W
Power Factor	>0.95
Light Source	SMD Mid Power LED
Cabling	Halogen-Free
Input Voltage	220-240V AC / 50-60 Hz
LED Driver	Constant Current
Ambient Temperature	-20°C / +50°C
LED Lifetime L70	>102.000 Hour

Lighting Technology	
Light Output Angle	110°
UGR Value	UGR ≤ 19
CRI [Ra]	CRI ≥ 80
Color Bin Value	Mc Adams ≤ 3

Optional
DALI / 1-10V
CRI>90 , 2700K~6500K , Tunable White
Emergency Lighting Unit

Order Code	W	Lm	CCT	WxLxH (mm)	Kg
02110.33.30.008.C	9	800	3000	300x300x96	1,50
02110.33.40.009.C	9	900	4000	300x300x96	1,50
02110.33.30.017.C	18	1600	3000	300x300x96	1,50
02110.33.40.018.C	18	1700	4000	300x300x96	1,50

Verilen tüm elektriksel değerler nominal değerlerdir. Işık akısı ve bağlı elektrik yükü +/- %10 luk bir başlangıç toleransına tabidir. Renk sıcaklığı toleransı: +/-150 K.
Katalogda ve web sitesinde yer alan teknik parametreler ve ürün kodlarını içeren bilgiler, projelere göre yapılan kişiselleştirmelerden dolayı standart ürünlerden farklılık gösterebilir.
İkizler Aydınlatma, ürünlerde haber vermeden değişiklik yapma hakkına sahiptir.

+90 (216) 397 22 16
info@ikizleraydinlatma.com